




Push-pull

Flexibility & experience



Agri



Construction



Industry



Food & beverage



Paper handling

Push-pull

The push-pull is a forklift attachment designed to move goods that aren't placed on pallets.

Replacing the pallet with sheets reduces cost of the packaging and allows to increase the volume of the goods movable in trucks and containers. On top of this, it helps to optimise the use of warehousing space.

The slip-sheet retainer option allows the sheets of paper, carton or plastic that are placed below the load to be re-used. This attachment is often used in construction, industry and food & beverage environments.

Safety first thanks to the push-pull. The very strong structure offers increased strength, as well as an optimal forklift driver visibility in both retracted and extended push-pull positions. It even gives extra protection for all the delicate hydraulic components.

Furthermore, this handling solution is easy to install.

You can choose between an installation onto the carriage or onto the forklift forks. This second version is ideal for companies who cannot justify the use of a dedicated forklift truck just for the handling of goods on sheets.

Features

- > 1 hydraulic function
- > Maximum pressure: 160 bar
- > Recommended oil flow: 25 l/min
- > Hook-on model
- > Optional 100+100 sideshifting for an easier load positioning

Without sheet retainer

Capacity	A	B	C	D	LL	CGH	CGV	Weight	ISO 2328	Model
kg/mm	mm	mm	mm	mm	mm	mm	mm	kg		
1600/600	1000	1000	1270	1050	230	232	208	655	2	PP1612
2000/600	1000	1000	1270	1050	230	225	205	665	2	PP2012

With sheet retainer

Capacity	A	B	C	D	LL	CGH	CGV	Weight	ISO 2328	Model
kg/mm	mm	mm	mm	mm	mm	mm	mm	kg		
1600/600	1000	1000	1270	1050	235	262	216	680	2	PP1612S
2000/600	1000	1000	1270	1050	235	281	218	690	2	PP2012S






Fast and easy mounting onto the carriage or the forks, both with our without sheet retainer.

Characteristics

- 1 Very strong structure and powerful cylinder
- 2 Maximum visibility for the forklift driver in both retracted and extended positions
- 3 Rubber profile protects all the delicate hydraulic components
- 4 Fast and easy mounting onto the carriage or on the forks, thanks to an extremely quick and effective fitting system



Can't get enough of our attachments?

Visit our website and discover a wealth of useful information




- > The capacity calculator automatically calculates the residual capacity



- > Detailed product leaflets of your favourite product group or product



- > Informative product movies in which you can see our attachments in action



Did you know...

... that you can chat with us live? Go to our website and click on our chat function. If you have urgent questions, or if you just want to say hello to us...

We are at your service.

www.camattachments.com

Remain up-to-date!

Follow us on Facebook and LinkedIn, and stay informed of our latest CAM attachments news.



Need more info?

For all your questions about our attachments, you can contact your sales advisor or fill in the contact sheet on our website. **We are happy to help you!**



www.camattachments.com
info@camsystem.com

Agri
Rue de Chaumont 4D
4480 Hermalle-sous-Huy
Belgium
T +32 85 24 54 00
F +32 56 43 44 88

 Construction

 Industry

 Food & beverage

 Paper handling

Brabantstraat 15
8790 Waregem
Belgium
T +32 56 43 42 11
F +32 56 43 44 88

Your dealer: